F5 Corpus VS

permobil

Dealer Information

* Contact:_____

Dealer Code:_____

* Dealer Name:_____

Address:_____

* City:_____

* State:_____

* Phone#:_____

* Fax#:_____

PO#:_____

Email Address:_____

Client Information

Permobil recommends that the client is evaluated by a certified rehab specialist.

* First Name:_____

* Last Name:_____

Diagnosis:_____

Funding Source:_____

Client Age:_____

Client Measurements

* Weight:_____

*Height:_____

A) Top of Shoulders:_____

B) Chest Depth:_____

C) Chest Width:_____

D) Seat Depth:_____

E) Top of Head:_____

F) Elbow to Hand:_____

G) Seat Pan to Elbow:_____

H) Hip Width:_____

*I) Knee to Foot:_____

Prices effective: **April 01, 2018**

Chair Model and Colors

			Price AUD
☑ I106975-99-0	F5 Base Corpus VS		

Price Includes: FWD F5 Power Base, Four-Wheel Independent Suspension System, ESP (Enhanced Steering Performance), Powered Anti-Tippers, Tie-Down Hardware for Strap Systems, Charger, Flat Free or Pneumatic Tires and a Standard Positioning Belt. Weight Capacity = 136kg, STFH = 17.5".

☑ I107358-99-0   Set Max Speed to 10 kmh   No Charge

CHOOSE DRIVE TIRES:

Part Number	Description	Price AUD
☐ I106999-99-0	Flat Free Tire 3"W x 14"T Black - Standard Tread	No Charge

Designed for a smooth ride on indoor and outdoor surfaces. Includes flat free standard tread caster wheels.

☐ I107005-99-0	Pneumatic Tire 3"W x 14"T Black - Standard Tread	No Charge

Designed for a smooth ride on indoor and outdoor surfaces. Includes flat free standard tread caster wheels.

☐ I107315-99-0	Flat Free Tire 3"W x 14"T Black - Aggressive Tread	No Charge

Designed for improved performance on outdoor surfaces. Includes flat free aggressive tread caster wheels.

OPTIONAL DRIVE TIRES:

Part Number	Description	Price AUD
☐ I107289-99-0	Pneumatic/Snow Tire 3"W x 14"T Black - Aggr Tread	

Snow tires are designed for use in cold weather conditions. The nylon compound in these tires remains flexible at low temperatures, but wears more easily. Therefore, the snow tires (sold as wheel assemblies) are not recommended for year-long use and must be ordered along with standard drive wheels. Does not include caster wheels.

CHOOSE SHROUD/RIM COLOR:

Part Number	Description	Price AUD
☐ I107036-99-0	F5 Color Kit - Sunburst Orange	No Charge
☐ I107105-99-0	F5 Color Kit - Galactic Green	No Charge
☐ I107106-99-0	F5 Color Kit - Midnight Black	No Charge
☐ I107107-99-0	F5 Color Kit - Ocean Blue	No Charge
☐ I107109-99-0	F5 Color Kit - Power Pink	No Charge
☐ I107110-99-0	F5 Color Kit - Radiant Red	No Charge
☐ I107108-99-0	F5 Color Kit - Phantom Grey	No Charge
☐ I107111-99-0	F5 Color Kit - Titan Blue	No Charge
☐ I107598-99-0	F5 Color Kit - Carbon Fiber	No Charge
☐ I107601-99-0	F5 Color Kit - Mossy Oak Break-Up Country	No Charge
☐ I11271	F5 Color Kit - CDG Poly	No Charge

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☑ I10901	Australian Freight & Handling Fee	

Base Options

MUST CHOOSE SEAT ELEVATOR:

Part Number	Description	Price AUD
☑ I107087-99-0	VS Power Adjustable Seat Height - 14" Travel	

SET SEAT HEIGHT:

Part Number	Description	Price AUD
☐ I107435-99-0	Set Seat Height to 17.5"	No Charge

permobil

Base Options

SET SEAT HEIGHT:

Part Number	Description	Price AUD
☐ I107433-99-0	Set Seat Height at 18.5"	No Charge
	If ordering Power Adjustable Seat Height, 1" of elevator travel is used to set seat at 18.5".	
☐ I107434-99-0	Set Seat Height at 19.5"	No Charge
	If ordering Power Adjustable Seat Height, 2" of elevator travel is used to set seat at 19.5".	

MUST CHOOSE BATTERIES:

Part Number	Description	Price AUD
☑ I107031-99-0	Batteries, Grp 24 (72Ah) Sealed Gel, x2, Installed	

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I107459-99-0	Essentials Box with Reflectors	
	Please Note: The total backrest angle will be limited to 150° to avoid contact between backrest components and the Essentials Box.	
☐ I107204-99-0	Essentials Box with Lights	
	Please Note: The total backrest angle will be limited to 150° to avoid contact between backrest components and the Essentials Box. Must also select Light Kit.	
☐ I106981-99-0	LED Light Kit for F3 / F5	
☐ I10715	Compact Laptop Ventilator Tray - Corpus Seat	
	Accommodates Pulmonetics LTV Series and similar sized Laptop Ventilators. The tray is 13"T, adjustable in width from 8" - 13", and adjustable in depth from 2" - 6.5". Overall backrest angle limited to 150° when mounting this ventilator tray. Custom Option.	
☐ I10787	Battery Tray for Laptop Ventilator Tray	
	Measures 11 3/8" W x 6 1/2" H x 1 5/8" D. Accomodates Pulmonetic Systems Lithium-Ion Battery Pack, CareFusion SprintPack Battery System, or Richardson PowerTech Vent Power Center. Custom Option.	
☐ I10788	O2 Holder for Laptop Ventilator Tray	
	Mounts to Left or Right Side of Laptop Vent Tray. O2 Holder is 7" Tall. Width infinitely adjustable from 3.5" - 7". Depth infinitely adjustable from 3.75" - 5". Custom Option.	
☐ ID51113	Programming Key for R-net - Permobil Version	

Joystick Options

PLEASE NOTE:

For additional input devices, refer to Alterative Drive Systems section.

☐ I107778-99-0	Permobil Joystick Module	
	Designed exclusively for Permobil, this R-net color joystick features: control of up to 4 Bluetooth devices, Infrared control, programmable buttons and a programmable switch jack; all in a compact, durable Aluminum housing.	
☐ I107829-99-0	3.5mm Y-Splitter Cable for PJSM	
	For use with the PJSM Mode/Profile jack. Allows 2 mechanical switches to control 4 separate functions. Requires PC Programming to assign the short hold and long hold commands to each switch. Switches sold separately.	
☐ I105700-99-0	R-net Remote Color JS w/ Lights, Heavy Duty Gimbal	
	Heavy-Duty modification enables gimbal to hold up to extreme operating forces. Reinforced housing is attached to a standard Color LCD R-net Joystick. 3" long joystick knob has 3/4" diameter. Not compatible with alternative joystick handles.	

CHOOSE JOYSTICK HANDLE TYPE:

Part Number	Description	Price AUD
☐ I10045	Cone Shaped Joystick Knob - Standard	No Charge
☐ I100960-99-0	Chin Cup For Joystick Knob	
☐ I100961-99-0	"T" Handle For Joystick Knob	
☐ I100962-99-0	"Large Ball" For Joystick Knob	
☐ I100963-99-0	"Softball" For Joystick Knob	
☐ I100964-99-0	"Mushroom" For Joystick Knob	

Joystick Options

CHOOSE JOYSTICK HANDLE TYPE:

Part Number	Description	Price AUD
☐ I100965-99-0	"Stick" For Joystick Knob	
☐ I105442-99-0	1.75" Black Foam Ball For Joystick Knob	
☐ I105846-99-0	Bodypoint J/S Handle 3" U-Shaped w/ Flex-Shaft	
☐ I105847-99-0	Bodypoint J/S Handle 4" U-Shaped w/ Flex-Shaft	
☐ I105848-99-0	Bodypoint J/S Handle Dome Shaped, Rubber	

CHOOSE JOYSTICK MOUNT:

Part Number	Description	Price AUD
☐ I10664	Joystick Mount Right - Fixed	No Charge
☐ I10665	Joystick Mount Left - Fixed	No Charge
☐ I102537-99-0	Joystick Mount Right - Swing Away	
☐ I102538-99-0	Joystick Mount Left - Swing Away	
☐ I108037-99-0	Slimline Retractable Joystick Mount - Right	
☐ I108038-99-0	Slimline Retractable Joystick Mount - Left	
☐ I11232	Adjustable Height Panel Bracket	

Provides 1.77" of vertical adjustment below the armrest and 25° of angle adjustment. Compatible with all Permobil joystick mounts except for the M1 Fixed Joystick Mount.

☐ I105210-99-0	Mount Standard Joystick on Corpus Back Hinge	

Standard R-net Joystick is mounted to backrest hinge. Can be chosen instead of PN I105408-99-0. Mount on Left: _____   Mount on Right: _____

☐ I105225-99-0	Co-Pilot Attendant Control R-net - Corpus	
☐ I105408-99-0	Attendant Control R-net	
☐ I107350-99-0	R-net Bluetooth iDevice Module	

Allows input device commands (such as joystick nudges or switch clicks) to be used to operate an iPhone, iPad or iPod. By assigning each input to an iOS function, users can make phone calls, send texts and emails and access applications. Kit includes a Bluetooth iDevice Module, an R-net Bus Cable, and two mono jack cables for direct switch inputs (switches not included). Must be ordered with a Color JSM or Omni for mode display.

☐ I107367-99-0	R-net Bluetooth Mouse Module	

Enables mouse control through any R-net input device. It can operate the mouse on a computer and on select Android devices (with R-net for Android app). Kit includes a Bluetooth Mouse Module, an R-net Bus Cable, two mono jack cables for L/R click (switches not included) and a USB BT Adapter for user's computer. Note: BT Adapter may not work with all computers. Must be ordered with a Color JSM or Omni for mode display.

☐ I107368-99-0	Add a second Bluetooth Mouse Module	

Allows R-net to simultaneously pair to a second compatible computer or Android device. Each module is accessible through a separate R-net mode. Kit includes a unique Bluetooth Mouse Module, an R-net Bus Cable, two mono jack cables for L/R click and a USB BT Adapter.

☐ I10582	Output Module (IOM) for R-net Control System	

This allows a user to control an external device (ex: Communication Device, ECU, Door Opener, etc.) through the drive input (JSM, Head Array, etc.). Each module can provide up to 4 switch closures. May require specialty cable or wiring. Up to three output modules can be installed on one wheelchair.

Seating System

POWER SEAT OPTIONS:

Part Number	Description	Price AUD
☑ I11112	Power Tilt and Power Recline - VS Seat	

This item must be selected. Includes 50° Power Tilt & 180° Power Recline.

☑ I107029-99-0	Power Standing Function - VS Seat	

This item must be selected. Tilt Table Stand is not available for clients over 100kg.

permobil

Seating System Options

CHOOSE SEAT FUNCTION CONTROL TYPE:

Part Number	Description	Price AUD
☑ I10585	Seat Function Control Kit for R-net	

Please indicate below if you want push buttons or toggles on the ICS Switchbox.

CHOOSE PUSH BUTTONS OR TOGGLES:

Part Number	Description	Price AUD
☐ I102798-99-0	Push Buttons on ICS Switchbox	No Charge
☐ I102799-99-0	Toggle Switches on ICS Switcbox	
☐ I105409-99-0	Do Not Install ICS Switchbox, Send as Part	No Charge

CHOOSE MOUNTING POSITION OF ICS SWITCHBOX:

Part Number	Description	Price AUD
☐ I10626	Mount ICS Switchbox onto R-net Joystick Bracket	No Charge

ICS Switchbox will be mounted to the same bracket as the R-net Joystick Module. If this item is selected, the ICS Switchbox will swing away with the Joystick Module.

☐ I104651-99-0	Mount ICS Switchbox onto Armrest	No Charge

Mount on Left: _____   Mount on Right: _____

☐ I106256-99-0	Mount ICS Switchbox on Backrest	

Mount on Left: _____   Mount on Right: _____

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I104196-99-0	ICS Alternative Switchbox for R-net Electronics	

Seat function interface box that accommodates up to 8 momentary switches. Provides an additional method for accessing the seat functions. 1/8" mini-mono switches not included.

☐ I107088-99-0	Remote Stop System - F/M Series	

Consists of a Radio Frequency (RF) handheld transmitter and an RF receiver mounted on the wheelchair.

☐ I10750	Memory Seat Program, Corpus w/ R-net	
☐ I106209-99-0	Legrest Movement Linked to Recline Electronically	

Power Legrest will raise when Power Recline moves backward and will lower when back moves forward. If Power Legrest is operated, Power Recline will NOT automatically reposition. Feature works through ICS Switchbox and Driver Control.

☐ I10898	Enable Independent Repositioning Mode	No Charge

IRM allows for sequential movement of power seat functions into a posterior position (35° tilt, 115° recline, 135° legrest) and returns to upright position (5° tilt, 100° recline, 110° legrest). This can be accessed using a standard drive control or a single switch. On the Permobil Joystick Module, IRM is accessible through the mode/profile jack (long switch hold). Please see the Alt Drive Accessories section for switch options.

☑ I107662-99-0	Virtual Seating Coach Package	No Charge

The Virtual Seating Coach (VSC) Package includes a Bluetooth dongle which enables access to VSC coaching and regimen management. The VSC app can be downloaded for free from the App Store or Google Play. Requires an iPhone (iOS 9 or higher) or an Android phone (OS 4. 1. 2 or higher). USB Charger and RAM X Grip Phone or Tablet Holder recommended.

Backrest Options

CHOOSE FIXED OR SLIDING BACKREST KIT:

Part Number	Description	Price AUD
☐ I107030-99-0	Sliding Backrest Kit - 5" Mechanical Shear	No Charge
☐ I105066-99-0	Fixed Backrest Kit - No Mechanical Shear	

CHOOSE BACKREST TYPE:

Part Number	Description	Price AUD

permobil

Backrest Options

CHOOSE BACKREST TYPE:

Part Number	Description	Price AUD
☐ I11120	BACKREST NOTE:	No Charge
	Ergo Backs include: lateral wedges, lumbar pads, a UT rail mounted at the top for lateral adjustment of the headrest, and split backrest feature with height adjustment in 1" increments. Please indicate backrest height below so that a properly sized backrest cushion can be provided. Note: Backrest heights are measured from the seat pan to the top of the backrest shell with the backrest set at 90°.	
☐ I106532-99-0	Corpus Ergo Back - 14"W x 23" - 28"T (C3GERGBCA)	
☐ I106533-99-0	Corpus Ergo Back - 16"W x 23" - 28"T (C3GERGBCA)	
☐ I106534-99-0	Corpus Ergo Back - 18"W x 23" - 28"T (C3GERGBCA)	
☐ I106535-99-0	Corpus Ergo Back - 20"W x 23" - 28"T (C3GERGBCA)	
	Set Corpus Backrest at 23" _____	
	Set Corpus Backrest at 24" _____	
	Set Corpus Backrest at 25" _____	
	Set Corpus Backrest at 26" _____	
	Set Corpus Backrest at 27" _____	
	Set Corpus Backrest at 28" _____	

CHOOSE BACKREST CUSHION:

Part Number	Description	Price AUD
☐ I10659	Leatherette Cushion - Corpus Ergo Back	No Charge
☐ I10660	Black Mesh Cushion - Corpus Ergo Back	

CHOOSE ONE OF THE FOLLOWING:

Part Number	Description	Price AUD
☐ I107488-99-0	Permobil 3" x 5" Lateral Supports - Pair	
	Must also select I107490-99-0. Only compatible with Corpus Ergo backrest shells.	
☐ I107489-99-0	Permobil 5" x 7" Lateral Supports - Pair	
	Must also select I107490-99-0. Only compatible with Corpus Ergo backrest shells.	
☐ I107490-99-0	Adj/Removable Lateral Link Hardware - Pair	

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I106072-99-0	Direct Backrest Frame - Corpus	
	Used to mount ROHO Agility, Jay 3, Matrx Elite, Varilite Icon and Ride Java backrests ranging in width from 14" to 20". Slotted brackets and 1" UniTrack linkage disks provide a close, adjustable mount. Backrest pitch can be tuned by rotating the linkage disks. Some seat depth may be lost due to the position and orientation of the backrest.	
☐ I10786	Tailored Backrest Cushion - Corpus	
	Sides of cushion are trimmed to provide additional clearance for lateral trunk supports. Must also select a backrest cushion (I10659 or I10660) when ordering this custom option.	

Seat Sizing

CHOOSE SEAT WIDTH:

Part Number	Description	Price AUD
☐ I107023-99-0	Set Seat Width at 17": ____	No Charge
☐ I107024-99-0	Set Seat Width at 19": ____	No Charge
☐ I107025-99-0	Set Seat Width at 21": ____	No Charge
☐ I107026-99-0	Set Seat Width at 23": ____	No Charge

CHOOSE SEAT DEPTH:

Part Number	Description

Seat Sizing

CHOOSE SEAT DEPTH:

	Part Number	Description	
		PLEASE NOTE:	
		There are three seat depth kits, each providing three seat depth settings: (1) 14" - 16", (2) 17" - 19" and (3) 20" - 22". Please select the required seat depth and the appropriate kit will be provided.	
☐	I107013-99-0	Seat Depth 14"	No Charge
☐	I107014-99-0	Seat Depth 15"	No Charge
☐	I107015-99-0	Seat Depth 16"	No Charge
☐	I107016-99-0	Seat Depth 17"	No Charge
☐	I107017-99-0	Seat Depth 18"	No Charge
☐	I107018-99-0	Seat Depth 19"	No Charge
☐	I107019-99-0	Seat Depth 20"	No Charge
☐	I107020-99-0	Seat Depth 21"	No Charge
☐	I107021-99-0	Seat Depth 22"	No Charge

CHOOSE SEAT CUSHION:

	Part Number	Description	
		NOTE:	
		See supplemental order form for ROHO seat cushion options. A Corpus II Ergonomic Seat Cushion will be provided for select seat sizes.	
☐	I10651	Corpus Ergo Cushion - Leatherette (C3GERGSCA)	
☐	I10652	Corpus Ergo Cushion - Black Mesh (C3GERGSCA)	
☐	I10965	Corpus Ergo Air Cushion (C3GRHOSCA)	
		Features ROHO Dry Floatation technology. The removable ROHO cell pad provides adjustable skin protection while the contoured foam and thigh support wedges help maintain proper positioning and stability. Includes removable stretch fabric cover. Available in widths of 17", 19' and 21" and depths of 17", 19" and 21", as well as 17" x 23". Not Available in 21" x 17"	
☐	I11113	Incontinence Cover for Ergo Cushion	
		Made from a stretch Dartex fabric and suitable for all Ergo cushions including the Corpus Ergo Air. The cover is cut to the contours of the Ergo cushion and is designed to be used as an outer layer of protection. Cover size will be matched to cushion size. Sent as a part.	
☐	I105118-99-0	Omit Seat Cushion	No Charge

Armrest Options

CHOOSE ARMBAR KIT AND MOUNTING POSITION:

	Part Number	Description	
		PLEASE NOTE:	
		Narrow Armbar Kit can be adjusted from 15"W to 19"W between the armrest pads without any addtional parts. Wide Armbar Kit can be adjusted from 19"W to 23"W between the armrest pads without any additional parts. Please select both Armbar Kit and Width Setting below.	
☐	I106543-99-0	Narrow Armbar Kit, Inf Adjustable 15"W - 19"W	No Charge
☐	I106544-99-0	Wide Armrest Kit, Inf Adjustable 19"W - 23"W	No Charge
		Required when selecting a 20" wide backrest.	
		Set the Width Between the Armrests to: _____	
		Must be wider than backrest width to ensure proper fit. Please round to nearest 1".	

CHOOSE ARMREST HEIGHT MOUNTING POSITION:

	Part Number	Description	Price AUD
☐	I105069-99-0	Height Adjustable Armrests - NC	No Charge
		No charge when ordering power tilt and/or recline.	
☐	I11175	SET ARMREST HEIGHT AT:_____	No Charge
		Corpus VS Armrests are infinitely adjustable from 9" - 15", measured from the seat pan to the top of the arrmrest pad. No additional parts are needed to get this full range of adjustment. In one inch increments (ex: 9", 10", etc.), please indicate where you would like the armrests set.	

Armrest Options

CHOOSE ARMREST PAD RIGHT:

	Part Number	Description	Price AUD
☐	I105100-99-0	4"x10" Corpus Armrest Pad Right - Leatherette	No Charge
☐	I105104-99-0	4"x13" Corpus Armrest Pad Right - Leatherette	No Charge
☐	I105105-99-0	4"x16" Corpus Armrest Pad Right - Leatherette	No Charge
☐	I105999-99-0	4"x18" Corpus Armrest Pad Right - Leatherette	No Charge
☐	I107212-99-0	4"x10" Corpus Armrest Pad Right - Black Fabric	No Charge
☐	I106047-99-0	4"x13" Corpus Armrest Pad Right - Black Fabric	No Charge
☐	I107214-99-0	4"x16" Corpus Armrest Pad Right - Black Fabric	No Charge
☐	I105995-99-0	4"x18" Corpus Armrest Pad Right - Black Fabric	No Charge
☐	I106486-99-0	4"x10" Corpus Arm w/ Stealth Gel Pad - Right	
☐	I106488-99-0	4"x13" Corpus Arm w/ Stealth Gel Pad - Right	
☐	I106490-99-0	4"x16" Corpus Arm w/ Stealth Gel Pad - Right	
☐	I106281-99-0	4"x18" Corpus Arm w/ Stealth Gel Pad - Right	

CHOOSE ARMREST PAD LEFT:

	Part Number	Description	Price AUD
☐	I105098-99-0	4"x10" Corpus Armrest Pad Left - Leatherette	No Charge
☐	I105102-99-0	4"x13" Corpus Armrest Pad Left - Leatherette	No Charge
☐	I105107-99-0	4"x16" Corpus Armrest Pad Left - Leatherette	No Charge
☐	I105998-99-0	4"x18" Corpus Armrest Pad Left - Leatherette	No Charge
☐	I107213-99-0	4"x10" Corpus Armrest Pad Left - Black Fabric	No Charge
☐	I106046-99-0	4"x13" Corpus Armrest Pad Left - Black Fabric	No Charge
☐	I107215-99-0	4"x16" Corpus Armrest Pad Left - Black Fabric	No Charge
☐	I105994-99-0	4"x18" Corpus Armrest Pad Left - Black Fabric	No Charge
☐	I106487-99-0	4"x10" Corpus Arm w/ Stealth Gel Pad - Left	
☐	I106489-99-0	4"x13" Corpus Arm w/ Stealth Gel Pad - Left	
☐	I106491-99-0	4"x16" Corpus Arm w/ Stealth Gel Pad - Left	
☐	I106303-99-0	4"x18" Corpus Arm w/ Stealth Gel Pad - Left	

MUST CHOOSE CHEST SUPPORT AND HARDWARE:

	Part Number	Description	Price AUD
☐	I107177-99-0	Chest Support Small - 10"W x 5.75"T	
		Must select Fixed or Adj Removable Hardware below.	
☐	I107176-99-0	Chest Support Medium - 12"W x 5.75"T	
		Must select Fixed or Adj Removable Hardware below.	
☐	I107175-99-0	Chest Support Large - 14"W x 5.75"T	
		Must select Fixed or Adj Removable Hardware below.	
☐	I107174-99-0	Fixed Chest Support Hardware	No Charge
☐	I107203-99-0	Adj Removable Chest Support Hardware	No Charge

OPTIONAL ITEMS:

	Part Number	Description	Price AUD
☐	I107339-99-0	Armrest Pouch - Right	
☐	I107338-99-0	Armrest Pouch - Left	
☐	I107840-99-0	UT Armrest Side Support - Right Outer	
		Includes 2"T x 6.5"W tapered pad.	
☐	I107863-99-0	UT Armrest Side Support - Left Outer	
		Includes 2"T x 6.5"W tapered pad.	
☐	I107864-99-0	UT Armrest Side Support - Right Inner	
		Includes 2"T x 6.5"W tapered pad. May require an increase to the width between the armrests to ensure armrests will flip-up.	

permobil

F5 Corpus VS

Armrest Options

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I107865-99-0	UT Armrest Side Support - Left Inner	
	Includes 2"T x 6.5"W tapered pad. May require an increase to the width between the armrests to ensure armrests will flip-up.	
☐ I107839-99-0	UT Elbow Support - Right	
	Must also select PN I10881.	
☐ I107838-99-0	UT Elbow Support - Left	
	Must also select PN I10882.	
☐ I10881	Adjustable Elbow Support Hardware - Right	
☐ I10882	Adjustable Elbow Support Hardware - Left	

Legrest Options

CORPUS VS LEGREST AND KNEE SUPPORT:

Part Number	Description	Price AUD
☑ I107178-99-0	Corpus VS Power Legrest Elevation - 180°	
	Includes power articulation.	
☑ I106965-99-0	Corpus VS Stand and Drive Package	
	Includes Powered Support Wheel, which are required for safe operation of the chair for both the stand and stand and drive operation.	
☑ I107038-99-0	Knee Support - Corpus VS	
	Select when ordering Corpus VS Legrest. Must also select I11129.	
☑ I11129	Adj Removable Knee Support Hardware (1 Each)	

.

CHOOSE FOOTPLATE STYLE:

Part Number	Description	Price AUD
☐ I106969-99-0	1pc Corpus VS Footplate - 9"D x 16.5"W	No Charge
☐ I106971-99-0	2pc Wide Corpus VS Footplates - 9"D x 7.5"W	
☐ I106967-99-0	2pc Narrow Corpus VS Footplates - 9"D x 6"W	

.

FOOTPLATE HEIGHT POSITION:

Part Number	Description
	SET FOOTPLATE HEIGHT AT:____
	This is measured from the SEAT PAN to the top of the FOOTPLATE, when the legrest assembly is at 90°. DO NOT INCLUDE CUSHION THICKNESS IN YOUR MEASUREMENT. In one inch increments, please indicate desired footplate height. NOTE: Corpus footplate height range is 6"-17" and Corpus VS height range is 9"-17". Height may need to be reduced for shipping. Calf Pads are not available at heights less than 9".

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I107211-99-0	UT Calf Support Kit (J) w Mesh Cover & Adj Hardware	No Charge
	5"W x 6.5"T Pad. Compatible with footplate heights of 10" - 18".	
☐ I106190-99-0	UT Calf Support Kit (A) w Mesh Cover & Adj Hardware	No Charge
	5.5"W x 6"T Pad. Compatible with footplate heights of 10" - 18".	
☐ I106188-99-0	UT Calf Support Kit (H) w Mesh Cover & Adj Hardware	
	7"W x 7"T Curved Pad. Compatible with footplate heights of 11" - 18".	
☐ I106186-99-0	UT Calf Support Kit (D) w Mesh Cover & Adj Hardware	
	8"W x 8"T Pad. Compatible with footplate heights of 12" - 18".	
☐ I106530-99-0	Stealth Gel Pads - Narrow Footplates (Pair)	
☐ I106225-99-0	Stealth Gel Pads - Wide Footplates (Pair)	

Accessories

MUST CHOOSE POSITIONING BELT:

	Part Number	**Description**	
		NOTE:	
		See supplemental order form for more Bodypoint options.	
☑	I104518-99-0	Bodypoint Non-Padded Hip Belt - Medium	No Charge

CHOOSE ONE OF THE FOLLOWING:

	Part Number	**Description**	**Price AUD**
☐	I107470-99-0	Permobil 7"W Headrest w/ Link Hardware	
		Must also select I107480-99-0 or I107481-99-0.	
☐	I107469-99-0	Permobil 10"W Headrest w/ Link Hardware	
		Must also select I107480-99-0 or I107481-99-0.	
☐	I107468-99-0	Permobil 14"W Headrest w/ Link Hardware	
		Must also select I107480-99-0 or I107481-99-0.	
☐	I107480-99-0	Adj/Removable Headrest Link Hardware - Standard	
☐	I107481-99-0	Adj/Removable Headrest Link Hardware - Extended	
		Includes an additional 3" link to extend headrest pad range.	
☐	I11276	Provide Headrest Receiver for AGILITY Backrest	No Charge
		Select for AGILITY backs and third party backs ordered off chair.	
☐	I106331-99-0	Permobil 10"W Headrest, Leatherette	
		Not available with ROHO AGILITY Back Systems. Must also select PN I10552.	
☐	I106333-99-0	Permobil Ergo Shape Headrest, Black Fabric	
		Not available with ROHO AGILITY Back Systems. Must also select PN I10552.	
☐	I10552	Adj/Removable Headrest Hardware	
☐	I107499-99-0	Universal Headrest Adapter	
		Please Note: Recline is limited to 160° or less (depending on backrest height) when ordering a Universal Headrest Adapter on a 23" or 24" tall Corpus backrest.	

OPTIONAL ITEMS:

	Part Number	**Description**	**Price AUD**
☐	I106104-99-0	UT Hip Suppt (B) w/ Mesh Cover - High (Pair)	
		4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	
☐	I106103-99-0	UT Hip Suppt (A) w/ Mesh Cover - High (Pair)	
		6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	
☐	I103094-99-0	UT Thigh/Hip Suppt (J) w/ Mesh Cover - High (Pair)	
		6.5"W x 5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	
☐	I103095-99-0	UT Thigh/Hip Suppt (C) w/ Mesh Cover - High (Pair)	
		8"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	
☐	I102977-99-0	UT Thigh/Hip Suppt (G) w/ Mesh Cover - High (Pair)	
		12"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	
☐	I10550	Adj Removable - Thigh Support Hardware (Pair)	
☐	I105260-99-0	Transfer Handles, Corpus Seat	
☐	I105292-99-0	Push Handles, Corpus Seat	
☐	I106210-99-0	RAM Self-Leveling Cup Holder	
☐	I106806-99-0	RAM X-Grip Phone Holder	
☐	I107100-99-0	RAM X-Grip 10" Tablet Holder w/Swing Away Mount	
		Compatible with most 10" screen tablets with or without a protective case. Includes adjustable swing away mount (I103476-99-0). Note: Customization may be required if ordered along with an Omni.	
☐	I107222-99-0	USB Charger	
		Provides up to 1.5A (at 5V) to charge most smartphones and tablets. The charger features an isolated circuit design for improved safety; and by pulling power from the ICS, prevents battery drainage when the chair is powered off. Includes mounting hardware and ICS connector. Please select armrest for mounting, keeping in mind that charger may need to be relocated. Mount on left armrest: _____ Mount on right armrest: _____	

permobil

Accessories

OPTIONAL ITEMS:

	Part Number	Description	Price AUD
☐	I105805-99-0	Medical Necessities Bag Hooks	

Please Note: Recline is limited to 165° or less (depending on backrest height) when ordering with 23" or 24" tall Ergo backrest. Custom required if ordered with a ROHO AGILITY backrest.

☐	I102059-99-0	Medical Necessities Bag	

Includes hardware to attach bag to backrest. Please Note: Recline is limited to 165° or less (depending on backrest height) when ordering with a 23" or 24" tall Ergo backrest. Custom required if ordered with a ROHO AGILITY backrest.

☐	I105840-99-0	Bodypoint Monoflex Medium Chest Support Belt Kit	

18.25"L x 4"W Pad Size. Item will be shipped as a part.

☐	I105839-99-0	Bodypoint Monoflex Large Chest Support Belt Kit	

21.5"L x 4.5"W Pad Size. Item will be shipped as a part.

☐	I105850-99-0	Bodypoint Monoflex X-Lrge Chest Support Belt Kit	

24.5"L x 5"W Pad Size. Item will be shipped as a part.

☐	I10843	Small Angle Adjustable Tray	

Must also select PN I10556.
Mount on Left: _____   Mount on Right: _____

☐	I105221-99-0	Angle Adjustable Tray - 14" W	

Must also select PN I10556.

☐	I105222-99-0	Angle Adjustable Tray - 16" W	

Must also select PN I10556.

☐	I105220-99-0	Angle Adjustable Tray - 18" W	

Must also select PN I10556.

☐	I106197-99-0	Angle Adjustable Tray - 20"W	
☐	I10556	Adj Removable - Tray Hardware (1 Each)	
☐	I105224-99-0	Oxygen Holder, Corpus	
☐	I105223-99-0	Crutch Holder, Corpus	

Alternative Drive Systems

ALTERNATIVE PROPORTIONAL JOYSTICK SYSTEMS:

	Part Number	Description	Price AUD
☐	I10751	Mini-Joystick for Omni - (9-pin connector)	

Operating Force = 13 g Neutral to Full Deflection = 5mm

☐	I103893-99-0	Compact Joystick for Omni - (9-pin connector)	

Operating Force = 220 g Neutral to Full Deflection = 28mm Joystick includes two 3.5mm mono jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob.

☐	I103894-99-0	Compact Joystick LITE for Omni - (9-pin connector)	

Operating Force = 50 g Neutral to Full Deflection = 17mm Joystick includes two 3.5mm mono jacks for Mode and On/Off. Includes Standard Joystick Knob and 1.75" (42mm) Foam Ball Knob.

ALT PROPORTIONAL JOYSTICK MOUNTING HARDWARE:

	Part Number	Description
		NOTE:

Please see the PERMOfix Mounting Solutions, within the Alt Drive Accessories section, for additional mounting options.

☐	I104690-99-0	Alt. JS Swing Away Mount Kit - Armrest

Mount in front of Left Arm: _____   Mount in front of Right Arm: _____

☐	I107135-99-0	Alt JS/Omni Combo Swing Away Mount Kit - Armrest

Used to mount Omni and Alternative Proportional Joystick to the same armrest. Includes Swing Away Omni/Tablet Mount, with a longer mounting rod, two PERMOfix modules, one 3" rod and one 4" rod.
Mount in front of Left Arm: _____   Mount in front of Right Arm:_____

permobil

Alternative Drive Systems

ALT PROPORTIONAL JOYSTICK MOUNTING HARDWARE:

Part Number	Description	Price AUD
☐ I104143-99-0	Alt. JS Adjustable Mount Kit - Chin Boom	

Swing-Away / Removable Chin Boom mounted on right of backrest shell. Custom charge may be applied if ordering lower backrest heights.

☐ I10752	Haims Harness for Chin Control Mount, Large	

For neck width up to 19cm.

☐ I10753	Haims Harness for Chin Control Mount, Small	

For neck width up to 14cm.

ALT PROPORTIONAL JOYSTICK ACCESSORIES:

Part Number	Description	Price AUD
☐ I104904-99-0	Dual Switches for Compact Joystick - Fixed Mount	

Includes two pushbutton switches mounted on rigid Switches can be used for Mode & On/Off. Switch operation force = 130 g.
Mount at front of Joystick: _____   Mount at rear of Joystick: _____
Mount at left of Joystick: _____   Mount at right of Joystick: _____

☐ I104641-99-0	Dual Switches for Compact Joystick - Gooseneck Mnt	

Includes two pushbutton switches mounted on adjustable gooseneck arms. Switches are positioned on Left and Right sides of Compact Joystick. Switches can be used for Mode & On/Off. Switch operation force = 130 g

SIP & PUFF SYSTEMS:

Part Number	Description	Price AUD
☐ I10573	Sip & Puff System for Omni	

Requires Omni Control Module. Includes breath tube kit.

☐ I10574	Sip & Puff System with Fiber Optic Opti-Stop	

Requires Omni Control Module. Includes breath tube kit.

☐ I106807-99-0	Sip & Puff Kit for Total Control Head Array	

For use with Total Control Head Array. Requires Omni Control Module. Includes breath tube kit.

☐ I10762	Adjustable Mounting Hrdw - Sip & Puff	

Required when selecting PN I10573, I10574 or I106807-99-0.

Total Control Head Array

CONFIGURE HEAD ARRAY:

Part Number	Description	Price AUD
☐ I106805-99-0	Permobil Head Array - 3-Switch System	

Features an occipital pad sensor and two stainless steel arms configured with proximity sensors. The arms are mounted to the upper attachment points on the head array. Longer arms are also included to extend the sensor adjustment range. ESP recommended. Choose Omni Control Module (ID51154IR) separately.

☐ I11072	Program Head Array as a 5-Switch System	No Charge

Select additional arms/sensors below and indicate the intended use of each sensor in the Notes & Comments section. Choose Omni Control Module (ID51154IR) separately.

CHOOSE OCCIPITAL PAD SIZE (REQUIRED):

☐ I105920-99-0	Small Occipital Pad for Head Array - 4.25"W x 3"H	No Charge
☐ I105921-99-0	Large Occipital Pad for Head Array - 6"W x 4"H	No Charge

.

CHOOSE OCCIPITAL PAD MOUNT (REQUIRED):

☐ I10847	Fixed Mount for Occipital Pad - Head Array	No Charge
☐ I105936-99-0	Adj. Swivel Mount for Head Array Occipital Pad	

Enables Occipital Pad to be angled up/down and left/right independent of the lateral arms.

CHOOSE HEAD ARRAY MOUNT HARDWARE (REQUIRED):

Total Control Head Array

CONFIGURE HEAD ARRAY:

Part Number	Description	Price AUD
☐ I105927-99-0	Stealth TWB480 Backrest Mounting Hdwr with Links	

Please select the length of the vertical stem below:
Standard length (10"): _____   Short length (6"): _____

☐ I105941-99-0	Stealth TWB480 Backrest Mtng Hdwr with Flipback	
☐ I105925-99-0	Stealth HMO475 Backr Mtng Hdwr w 17mm Ball	
☐ I106319-99-0	Stealth TWB480 Backrest Mnt Hdwr w SubOcptl Mount	
☐ I106282-99-0	Stealth 600 SubOccipital Pad - 8.5"W x 2.75"H	

Must select when PN I106319-99-0 is ordered.

SELECT ADDITIONAL LEFT ARM PACKAGE (OPTIONAL):

☐ I10976	Add Left Lateral Arm w Proximity Sensor	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

☐ I10977	Add Left Lateral Arm w Egg Switch	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

☐ I10978	Add Left Lateral Arm w Pad (No Sensor or Switch)	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

SELECT ADDITIONAL RIGHT ARM PACKAGE (OPTIONAL):

☐ I10979	Add Right Lateral Arm w Proximity Sensor	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

☐ I10980	Add Right Lateral Arm w Egg Switch	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

☐ I10981	Add Right Lateral Arm w Pad (No Sensor or Switch)	

Choose Lateral Arm Adjustment Range:
Short (5.5" - 10"): _____   Long (5.5" - 14"): _____

Alt Drive Systems Setup

CHOOSE OMNI (REQUIRED):

Part Number	Description	Price AUD
☐ ID51154IR	Omni Control Module for R-net w/ Infrared	

Must also select mounting hardware, either I103476-99-0 or I107135-99-0. Please specify which type of alternative drive input you will be using if not ordering it from Permobil.
Input Device: _____

☐ I103476-99-0	Adjustable Swing-Away Hardware - Omni/Tablet	

Mount in front of Left Arm: _____   Mount in front of Right Arm: _____

CHOOSE MOUNTING POSITION OF SEAT CONTROL SWITCHBOX:

Part Number	Description	Price AUD
☐ I10080	Mount Seat Control Switchbox on Backrest	No Charge

Alt Drive Accessories

PERMOFIX MOUNTING SOLUTIONS:

Part Number	Description	Price AUD
☐ I106655-99-0	PERMOfix UniTrack Fixed Mount Kit	

Includes two base joints, two 4" rods and one 8" rod.

permobil

Alt Drive Accessories

PERMOFIX MOUNTING SOLUTIONS:

Part Number	Description	Price AUD
☐ I106656-99-0	PERMOfix UniTrack Removable Mount Kit	

Includes quick release mount and thigh support hardware, two base joints and three different length rods.

☐ I106657-99-0	PERMOfix UniTrack Swing Away Mount Kit	

Includes PERMOfix Swing Away module, two base joints, one 2" rod and one 4" rod.

☐ I105907-99-0	Proximity Sensor + Swivel Assm - Not Mounted	

Only available with the Total Control Head Array. Swivel assembly allows sensor to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array. Since Proximity Sensors require power, they CANNOT be used as On/Off switches.

☐ I105919-99-0	Egg Switch + Swivel Mount Assm - Not Mounted	

Swivel assembly allows switch to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array.

☐ I105912-99-0	Solid Lateral Pad+Swivel Joint - Not Mounted	

Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array.

☐ I106675-99-0	Oval Plate + Swivel Assm - No Switch - Not Mounted	

Blank plate provides mounting option for Micro Lite, Buddy Button or other switch options. Swivel assembly allows pad to be mounted with PERMOfix or directly to lateral arm of Total Control Head Array.

OPTIONAL ITEMS:

Part Number	Description	Price AUD
☐ I101769-99-0	Micro Lite Switch Qty:____	
☐ I101767-99-0	Buddy Button Qty:____	
☐ I106293-99-0	Egg Switch Black Qty: _____	
☐ I101771-99-0	Mini Cup Switch Qty:____	
☐ I107500-99-0	Proximity Switch Qty:____	
☐ I107495-99-0	Mini Joyswitch 5 Switch OC for Omni - (9-pin)	
☐ I107498-99-0	Touch Contact with CR2032 Battery Qty:____	
☐ I10772	Dome Switch, Backrest Mnt w Gooseneck Qty: _____	

Mount on Left: _____   Mount on Right: _____
Mounts at top of backrest shell. Custom charge may be applied if ordering with short backrest heights. Kit Includes: One PERMOfix joint with Flat Plate, two PERMOfix joints with 45° swivel adjustment, one 150mm rod, one 200mm rod and one 225mm gooseneck switch with 1.2m cable and mounting clamp.

☐ I10846	Dome Switch, Backrest Swg Awy Mnt w Gsneck Qty:____	

Mount on Left: _____   Mount on Right: _____
w 90° Swing-Away Function. Mounts at top of back. Custom charge applies if ordered with short back. Kit Includes: One PERMOfix joint with Flat Plate, one PERMOfix joint with 45° swivel adjustment, two 6" rods, one 90° Swing-Away joint, one 9"

☐ I105935-99-0	3.5mm Ext. Cable for Sensor/Switch, 0.3m Long	
☐ I105931-99-0	3.5mm Ext. Cable for Sensor/Switch, 1m Long	
☐ I105932-99-0	3.5mm Ext. Cable for Sensor/Switch, 2m Long	
☐ I105933-99-0	3.5mm Ext. Cable for Sensor/Switch, 3m Long	
☐ I105934-99-0	3.5mm Y-splitter Cable for Sensor/Switch	

Allows two Proximity Sensors/Mechanical Switches to connect to the same direction jack.

Additional Order Instructions:

Chair Order Policy:

You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms. The order cannot be processed without the following:

    -A client name or code, the client's measurements, the client's weight

    -The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil is not

     responsible for configuration or size discrepancies resulting from customer errors on the order form.

    -Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.

    -Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

Order Acknowledgement:

I, _____, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of powered wheelchairs and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns policy and may carry additional charges.

Signed: _____

Printed Name: _____

Title: _____

Date: _____

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty.

permobil