



Three column pricing on order/quote: 

Display HCPCS Codes on order/quote:

Please send order/quote to fax#: (800) 231-3256

Email to: sales@permobil.com

## \* Indicates a Required Field

**Dealer Information** 



Order ID:_	
*ATP:_	
Dealer Code:_	
*Dealer Name:_	
Address:_	
* State/Zip:_	
* Phone#:_	
PO#:_	
Email Address:	

#### **Client Information**

Permobil recommends that the client is evaluated by a certified rehab specialist.

* First Name:	
Client Measureme	
* Weight:	
*Height:	
D) Seat Depth:	

Permobil Inc.

300 Duke Dr. Lebanon, TN 37090 Tel: (800) 736-0925 Fax: (800) 231-3256 www.permobil.com

11400 11171			
Chair Model and	Colors		
CHOOSE BASE: Part Number  √ 1104524-99-0	<b>Description</b> K450 Base w/ R-net 5.2mph - K450 PS2	<b>Price</b> 15,472.00	HCPCS Code K0891
<u>√</u> 1104524-99-0	Price Includes: K450 Power Base Set Up For Multiple Power Sea Hardware for Strap Systems, Charger, Flat Free Tires, and Stand Choose Flat Free or Pneumatic Tires Below. 5.0mph, Weight Cap 3"-25".	at Functions, Tie-Down ard Positioning Belt. Must	10091
CHOOSE DRIVE TIRE	ES:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I106204-99-0	Flat Free Casters - K450	No Charge	
☐ I106205-99-0	Flat Free Drive Tires - K450	No Charge	
☐ I106206-99-0	Pneumatic Casters - K450	No Charge	
☐ I106207-99-0	Pneumatic Drive Tires - K450	No Charge	
CHOOSE SHROUD C	COLOR:		
Part Number	Description	Price	HCPCS Code
☐ I104535-99-0	Shroud for K450 - Onyx Black	No Charge	
☐ I104536-99-0	Shroud for K450 - Platinum Silver	No Charge	
☐ I104537-99-0	Shroud for K450 - Pop Star Pink	No Charge	
☐ I104539-99-0	Shroud for K450 - Extreme Yellow	No Charge	
☐ I106367-99-0	Shroud for K450 - Volcano Red	No Charge	
☐ I106368-99-0	Shroud for K450 - Cobalt Blue	No Charge	
1107234-99-0	Shroud for K450 - Purple Rain	No Charge	
Base Options			
MUST CHOOSE SEA	T ELEVATOR:		
Part Number	Description	Price	<b>HCPCS Code</b>
<b>✓</b> I10510	Power Adjustable Seat Height - 8" Travel  This item must be selected.	3,239.00	E2300
MUST CHOOSE BAT	TERIES:		
Part Number	Description	Price	<b>HCPCS Code</b>
<b>✓</b> I107032-99-0	Batteries, Grp 34 (60Ah) Sealed Gel, x2, Installed	960.00	E2359
OPTIONAL ITEMS:			
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I104550-99-0	Support Wheels for K450	481.00	
☐ I104540-99-0	Light Kit - K450 R-net	1,231.00	
☐ I104553-99-0	WC 19 Transit Kit - K450	1,920.00	
	This kit includes additional anchor points for tie down straps, seat hardware, and a WC-19 Approved integrated lap and shoulder be approved according to ANSI/RESNA WC19. An ICS Switchbox m in order to access WC19 mode.	lt. This kit has been	
☐ I104554-99-0	Fixed Ventilator Tray - K450	636.00	E1029
	Tray is 9.75"D x 13"W and increases the overall length of a K450 ventilator tray is designed to accommodate an LP10 style ventilate custom charge will be applied if ordering vent tray with any of the Transit Kit (I104553-99-0), Attendant Control (ID50882), Push Ha Hooks (I105805-99-0). Please Note: Must also select Support Wh	by approximately 11". The or and one U1 Battery. A following items: WC-19 andles (I104576-99-0) or Bag	9
☐ ID51113	Programming Key for R-net - Permobil Version	526.00	
Joystick Options			
CHOOSE JOYSTICK	TYPE:		
Part Number	Description	Price	HCPCS Code
	PLEASE NOTE:		
	For additional input devices, please refer to the Alternative Drive S	Systems Section.	

Joystick Options			
CHOOSE JOYSTICK	TYPE:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I108319-99-0	Permobil Joystick Module	1,082.00	
	Designed exclusively for Permobil, this R-net color joystick features: Bluetooth devices, Infrared control, programmable buttons and a proin a compact, durable Aluminum housing.	ogrammable switch jack; a	all
☐ I105246-99-0	R-net LED Remote Joystick	No Charge	
	This Joystick does NOT have a Display Screen and does NOT conta five profiles with this Joystick Module.	airi mono jacks. Limited to	1
CHOOSE JOYSTICK	HANDLE TYPE:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I10045	Cone Shaped Joystick Knob - Standard	No Charge	
☐ I100960-99-0	Chin Cup For Joystick Knob	127.00	E2324
☐ I100961-99-0	"T" Handle For Joystick Knob	179.00	E2323
☐ I100962-99-0	"Large Ball" For Joystick Knob	127.00	E2323
☐ I100963-99-0	"Softball" For Joystick Knob	167.00	E2323
☐ I100964-99-0	"Mushroom" For Joystick Knob	167.00	E2323
☐ I100965-99-0	"Stick" For Joystick Knob	167.00	E2323
☐ I105442-99-0	1.75" Black Foam Ball For Joystick Knob	127.00	E2323
☐ I105846-99-0	Bodypoint J/S Handle 3" U-Shaped w/ Flex-Shaft	167.00	E2323
☐ I105847-99-0	Bodypoint J/S Handle 4" U-Shaped w/ Flex-Shaft	167.00	E2323
1105848-99-0	Bodypoint J/S Handle Dome Shaped, Rubber	167.00	E2323
CHOOSE JOYSTICK	MOUNT:		
Part Number	Description	Price	<b>HCPCS Code</b>
	Joystick Mount Right - Fixed, R-net Only	No Charge	
☐ I10413	Joystick Mount Left - Fixed, R-net Only	No Charge	
1102537-99-0	Joystick Mount Right - Swing Away	374.00	E1028
1102538-99-0	Joystick Mount Left - Swing Away	374.00	E1028
OPTIONAL ITEMS:			
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I10411	Expandable Controller - R-net	699.00	E2377
	This item is required when ordering power tilt, power recline, and po together OR when ordering an Alternative Drive Control.	wer elevating legrests	
☐ I10513	Harness for Expandable Controller	620.00	E2313
	Must be ordered with any Expandable Controller.		
☐ ID50882-A	Attendant Control for R-net Control System Only	1,372.00	E2331
☐ I104571-99-0	On the K450, the mounting location for the Attendant Control is off of If ordering an attendant control, you must also order I104576-99-0 (ICO-Pilot Attendant Control - K450		
☐ I107350-99-0	R-net Bluetooth iDevice Module	962.00	K0108
Ц	Allows input device commands (such as joystick nudges or switch of an iPhone, iPad or iPod. By assigning each input to an iOS function, calls, send texts and emails and access applications. Kit includes a an R-net Bus Cable, and two mono jack cables for direct switch input Must be ordered with a Color JSM or Omni for mode display.	licks) to be used to operat , users can make phone Bluetooth iDevice Module	re ,
☐ I107367-99-0	R-net Bluetooth Mouse Module	962.00	K0108
_	Enables mouse control through any R-net input device. It can opera computer and on select Android devices (with R-net for Android app Mouse Module, an R-net Bus Cable, two mono jack cables for L/R c and a USB BT Adapter for user's computer. Note: BT Adapter may r computers. Must be ordered with a Color JSM or Omni for mode dis	o). Kit includes a Bluetooth click (switches not included not work with all	d)
☐ I107368-99-0	Add a second Bluetooth Mouse Module	962.00	K0108
	Allows R-net to simultaneously pair to a second compatible compute module is accessible through a separate R-net mode. Kit includes a Module, an R-net Bus Cable, two mono jack cables for L/R click and	unique Bluetooth Mouse	1
Seating System			

14100 14124			
Seating System			
CHOOSE ONE OF TH	HE FOLLOWING:		
Part Number	Description	Price	HCPCS Code
<b>✓</b> I104324-99-0	MX Power Seating System	8,528.00	K0108
	Price Includes: MX Seating System, Adjustable Seat Fram Adjustable Backrest Angle, and One Piece Footplate. Wei		
CHOOSE ONE OF TH		Duta	110D00 0 - 4 -
Part Number ☐ 1104529-99-0	Description No Tilt	<b>Price</b> No Charge	HCPCS Code
1104329-99-0	Weight Limit 125lbs.	No Charge	
☐ I104551-99-0	45° Power Tilt	6,722.00	E1002
	Weight Limit 125lbs.	3,7 22.33	2.002
Seating System (			
	CTION CONTROL TYPE:		
Part Number	Description	Price	<b>HCPCS Code</b>
<b>√</b> 110585	Multiple Seat Function Control Kit for R-net	3,657.00	E2311
<u>—</u>	MUST be selected if ordering two or more seat functions.	This device is used to operate two	
	or more seat functions through the wheelchair electronics		
	switch box. Order with R-net electronics or remote joystick you want push buttons or toggles on the ICS Switchbox.	coptions. Please indicate below if	
CHOOSE PUSH BUT	TONS OR TOGGLES:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I104135-99-0	Push Buttons on ICS Switchbox (3m)	No Charge	
T 1104136-99-0	Toggle Switches on ICS Switchbox (3m)	327.00	
CHOOSE MOUNTING	POSITION OF ICS SWITCHBOX:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I10626	Mount ICS Switchbox onto R-net Joystick Bracket	No Charge	
	ICS Switchbox will be mounted to the same bracket as the		
☐ I104651-99-0	is selected, the ICS Switchbox will swing away with the Joy Mount ICS Switchbox onto Armrest		
	Mount on Left: Mount on Right:	No Charge	
☐ I11050	Mount ICS Switchbox on Backrest	157.00	
	On the K450, the backrest mounting location for the ICS S		
	bracket; therefore, you must also order I104576-99-0 (Pus		
	Mount on Left: Mount on Right:		
OPTIONAL ITEMS:	Provide the control of the control o	D.C.	11000000
Part Number ☐ 1105409-99-0	Do Not Install ICS Switchbox, Send as Part	Price	HCPCS Code
☐ I103409-99-0 ☐ I104196-99-0	ICS Alternative Switchbox for R-net Electronics	No Charge 1,278.00	K0108
	Seat function interface box that accommodates up to 8 mo		100100
	additional method for accessing the seat functions. 1/8" mi		
	Remote Stop System - All Electronics	1,264.00	E2321
	Consists of a Radio Frequency (RF) handheld transmitter		
	wheelchair. Custom charges may be required when ordering backrest height or a pediatric wheelchair. If ordering on a P		
	selected.	(100, padii nanaios madi alco bo	
☐ I10515	Memory Seat Program for K450 MX	No Charge	
	If this is selected, the chair will be programmed to allow the		
	different memory seat positions through the ICS Switchbox functions are capable of recalling a saved seat position. P		
	Manual for more information on saving and recalling a mer		
Backrest Options	•		
CHOOSE ONE OF TH	HE FOLLOWING:		
Part Number	Description	Price	<b>HCPCS Code</b>

CHOOSE ONE OF TH	IE FOLLOWING:		
Part Number	Description	Price	<b>HCPCS Code</b>
	MX STYLE BACKRESTS:		
_	Use this section to select MX Style Backrests. Back heights measured fr top of the backrest shell with the backrest set at 90°. Please be sure to shell size and a backrest cushion style (Leatherette or Black Mesh Fabri Backrest is NOT available.	oick both a backrest c). Note: A 16"W MX	
☐ I104321-99-0	MX Backrest - 10"W x 14"H	No Charge	
□ 1404222 00 0	Backrest can be adjusted to either 14" or 16" high. If ordering a headrest mounted in the 16" high position unless client measurements require a 1 which case, custom modifications will be made.	4" high backrest, in	
☐ I104322-99-0	MX Backrest - 12"W x 16"H	No Charge	
□ 1104222 00 0	Backrest can be adjusted to either 16" or 18" high.  MX Backrest - 14"W x 20"H	No Chargo	
☐ I104323-99-0		No Charge	
OUOOCE ONE OF TH	Backrest can be adjusted to either 20" or 22" high.		
CHOOSE ONE OF TH		Price	HCPCS Code
Part Number	Description Please Select Cushion Style Below:	Price	noros code
☐ I104309-99-0	MX/MF Backrest Cushion, 10"W x 14"T - Leatherette	No Chargo	
☐ 1104309-99-0 ☐ 1104311-99-0	MX/MF Backrest Cushion, 12"W x 16"T - Leatherette	No Charge	
☐ 1104311-99-0 ☐ 1104313-99-0		No Charge	
	MX/MF Backrest Cushion, 14"W x 20"T - Leatherette	No Charge	
1104308-99-0	MX/MF Backrest Cushion, 10"W x 14"T - Black Mesh	No Charge	
I104310-99-0	MX/MF Backrest Cushion, 12"W x 16"T - Black Mesh	No Charge	
☐ I104312-99-0	MX/MF Backrest Cushion, 14"W x 20"T - Black Mesh	No Charge	
CHOOSE ONE OF TH			
Part Number	Description	Price	HCPCS Code
	PS JR TUBULAR STYLE BACKRESTS	40W4/ <b>T</b> / /	
	Use this section to select PS Jr Tubular Style Backrest Canes. Note: A Backrest is NOT available.	10"W Tubular	
☐ I103717-99-0	PS Jr Back Canes, Height & Angle Adjustable	No Charge	
_	Must also select PS Jr Style Armrests if ordering this backrest. Choose F Type (Metal Back or Omit Back) below. Backrest width should match sea adjustable from 16.5"T - 22.5"T, measured from the seat pan to the top of	PS Jr Style Backrest at width. Back height	is
CHOOSE ONE OF TH	IE FOLLOWING:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I103719-99-0	PS Jr Solid Backrest - 12"W	No Charge	
☐ I103721-99-0	PS Jr Solid Backrest - 14"W	No Charge	
☐ I103723-99-0	PS Jr Solid Backrest - 16"W	No Charge	
☐ I10449	PS Jr - Omit Backrest	No Charge	
Seat Sizing			
CHOOSE ONE OF TH			
Part Number	Description	Price	HCPCS Code
☐ I104317-99-0	MX Seat Size 10"W x 10"D	No Charge	
<b>—</b> 1404040 00 0	Seat depth can be adjusted to 10", 11", or 12". If ordering this seat size, seat position when using the seat to floor function will be approximately the top of the seat pan.	3.5" from the floor to	
☐ I104318-99-0	MX Seat Size 12"W x 12"D	No Charge	
_	Seat depth can be adjusted to 12", 13", or 14". If ordering this seat size a lowest allowed seat position when using the seat to floor function will be from the floor to the top of the seat pan. If ordering Flip Back Arms, the loposition will be 8".	approximately 3.5" owest allowed seat	
☐ I104319-99-0	MX Seat Size 14"W x 14"D	No Charge	
	Seat depth can be adjusted to 14", 15", or 16". If ordering this seat size to lowest allowed seat position when using the seat to floor function will be from the floor to the top of the seat pan. If ordering Flip Back Arms, the loposition will be 8".	approximately 3.5"	

14100 11174			
Seat Sizing			
CHOOSE ONE OF TH	HE FOLLOWING:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I104320-99-0	MX Seat Size 16"W x 16"D	No Charge	
	Seat depth can be adjusted to 16", 17", or 18". If ordering this seat size we lowest allowed seat position when using the seat to floor function will be a from the floor to the top of the seat pan. If ordering Flip Back Arms, the lot position will be 16".	approximately 10"	
OPTIONAL ITEMS:			
Part Number	Description	Price	HCPCS Code
□ 12002204 00 00 0	Seat Cushions Below Are Approximately 2" Thick:	507.00	
☐ I306384-99-90-0	Leatherette Seat Cush MX - 10"W x 10"D (250x250)	597.00	
I306385-99-90-0	Leatherette Seat Cush MX - 12"W x 12"D (300x300)	597.00	
☐ I306386-99-90-0	Leatherette Seat Cush MX - 14"W x 14"D (350x350)	597.00	
I104703-99-0	Leatherette Seat Cush MX - 16"W x 16"D (400x400)	597.00	
I104305-99-0	Black Mesh Seat Cushion MX/MF - 10"W x 10"D	601.00	
☐ I104306-99-0	Black Mesh Seat Cushion MX/MF - 12"W x 12"D	601.00	
☐ I104307-99-0	Black Mesh Seat Cushion MX/MF - 14"W x 14"D	601.00	
☐ I104702-99-0	Black Mesh Seat Cush MX - 16"W x 16"D (400x400)	597.00	
Armrest Options			
CHOOSE ARMREST			
Part Number	Description	Price	HCPCS Code
☐ I10512	Height Adjustable Armrest Assembly MX Seat	346.00	E0973
□ 140E44	If you are not selecting Tilt, you MUST order this item.	Na Charra	
☐ I10514	Height Adjustable Armrest Assembly MX Seat - NC	No Charge	
☐ I10824	No Charge if ordering Power Tilt (I104551-99-0) Flip Back, Height Adjustable Armrests	389.00	E0973
_	Mounted off the backrest canes. Includes: 45° of angle adjustability, rotate offset adjustment both medially and laterally, and height adjustment of 6" pan. In one inch increments, please indicate where you would like the an SET ARMRESTS AT (6" - 14"):	ional adjustment, 3" - 14" from the seat mrests set.	20010
☐ I10825	Flip Back, Height Adjustable Armrests - NC	No Charge	
	No charge when ordering power tilt. In one inch increments, please indicative the armrests set.  SET ARMRESTS AT (6" - 14"):	ate where you would	
MX ARMREST PADS.			
Part Number	Description	Price	HCPCS Code
☐ I104303-99-0 ☐ I104304-99-0	MX Armrest Pad Long 12 5" x 3.5" W	No Charge	
	MX Armrest Pad Long 12.5"Lx3.5"W	No Charge	
FLIP BACK ARMRES	_	Drice	HCPCS Code
☐ I105100-99-0	<b>Description</b> 4"x10" Corpus Armrest Pad Right - Leatherette	<b>Price</b> No Charge	ncres code
☐ I105100-99-0	4"x13" Corpus Armrest Pad Right - Leatherette	No Charge	
☐ I107212-99-0	4"x10" Corpus Armrest Pad Right - Black Fabric	No Charge	
☐ I106047-99-0	4"x13" Corpus Armrest Pad Right - Black Fabric	No Charge	
☐ I106486-99-0	4"x10" Corpus Arm w/ Stealth Gel Pad - Right	175.00	
☐ I106488-99-0	4"x13" Corpus Arm w/ Stealth Gel Pad - Right	180.00	
☐ I104951-99-0	3.5"x8" Unitrack Armrest Pad Right (C)	No Charge	
☐ 1104950-99-0	3.5"x12.5" Unitrack Armrest Pad Right (G)	No Charge	
FLIP BACK ARMRES	- · · /	No Charge	
Part Number	Description	Price	HCPCS Code
☐ I105098-99-0	4"x10" Corpus Armrest Pad Left - Leatherette	No Charge	
1105102-99-0	4"x13" Corpus Armrest Pad Left - Leatherette	No Charge	
T 1107213-99-0	4"x10" Corpus Armrest Pad Left - Black Fabric	No Charge	
T 1106046-99-0	4"x13" Corpus Armrest Pad Left - Black Fabric	No Charge	
<del>_</del>			

Part Number	Description	Price	<b>HCPCS Code</b>
☐ I104314-99-0	MX Footplate - Small (11.5" W x 8"D)	No Charge	
☐ I104315-99-0	MX Footplate - Large (14" W x 9.5"D)	No Charge	
OPTIONAL ITEMS:			
Part Number	Description	Price	HCPCS Code
☐ I103427-99-0	Footstrap Kit	200.00	
1103104-99-0	Footstrap Kit - Padded	221.00	
I104338-99-0	Small Anti-Skid Overlay for Footplate - K450	163.00	
☐ I104337-99-0 ☐ I107503-99-0	Large Anti-Skid Overlay for Footplate - K450 BP Ankle Huggers, Med Side Release, Adj (Pair)	163.00 288.00	
1107303-99-0	This item will be sent as a part with the wheelchair. It will not be installed.	200.00	
Accessories	,		
☐ I104518-99-0	Bodypoint Non-Padded Hip Belt - Medium	No Charge	
☐ I105849-99-0	Bodypoint Padded Hip Belt - Extra Small	153.00	
T 1104520-99-0	Bodypoint Padded Hip Belt - Medium	153.00	
1100519-99-0	Positioning Belt Retractable	304.00	
HEADREST OPTIONS	S:		
Part Number	Description	Price	HCPCS Code
☐ I100749-99-0	MF Headrest for Koala/PS Jr - Leatherette  Must also select PN I10552.	342.00	E0955
☐ I104339-99-0	MF Headrest for MX Back - Leatherette	342.00	E0955
	Must also select PN I10552. Also includes a UniTrack Bracket for Lateral A headrest. Please select appropriate UT Bracket below:	Adjustment of the	
	UT Bracket for Lat Head Adj (10"W MX Back):		
	UT Brack for Lat Head Adj (12-14"W MX Back):		
☐ I10552	Adj/Removable Headrest Hardware	280.00	E1028
☐ I107499-99-0	Universal Headrest Adapter	276.00	
	Please Note: Recline is limited to 160° or less (depending on backrest height Universal Headrest Adapter on a 23" or 24" tall Corpus backrest.	ht) when ordering	a
0.000	,		
OPTIONAL ITEMS:	·	Price	HCPCS Code
Part Number	Description	<b>Price</b> 288.00	HCPCS Code E0956
	·	288.00	HCPCS Code E0956
Part Number	Description UT Hip Suppt (B) w/ Mesh Cover - High (Pair)	288.00	
Part Number  ☐ I106104-99-0  ☐ I106103-99-0	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.	288.00 288.00	E0956 E0956
Part Number	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)	288.00 288.00 551.00	E0956 E0956 E1028
Part Number  ☐ I106104-99-0  ☐ I106103-99-0	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D	288.00 288.00	E0956 E0956
Part Number	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).	288.00 288.00 551.00 345.00	E0956 E0956 E1028 E0956
Part Number	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  UT Trunk Suppt (F) for MX Back - 3.5"T x 8.5"D	288.00 288.00 551.00	E0956 E0956 E1028
Part Number	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).	288.00 288.00 551.00 345.00	E0956 E0956 E1028 E0956
Part Number    1106104-99-0    1106103-99-0    110550   1104575-99-0    1104574-99-0	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  UT Trunk Suppt (F) for MX Back - 3.5"T x 8.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).	288.00 288.00 551.00 345.00	E0956 E0956 E1028 E0956
Part Number    1106104-99-0    1106103-99-0    110550   1104575-99-0    1104574-99-0    110551	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  UT Trunk Suppt (F) for MX Back - 3.5"T x 8.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  Adj Removable - Trunk Support Hardware (Pair)  Push Handles - K450  Mounted off the chassis. Height and angle adjustable. Must be selected if o	288.00 288.00 551.00 345.00 345.00 554.00 448.00	E0956 E0956 E1028 E0956 E1028
Part Number    1106104-99-0    1106103-99-0    110550   1104575-99-0    1104574-99-0    110551   1104576-99-0	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  UT Trunk Suppt (F) for MX Back - 3.5"T x 8.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  Adj Removable - Trunk Support Hardware (Pair)  Push Handles - K450  Mounted off the chassis. Height and angle adjustable. Must be selected if of an attendant control, or if mounting the ICS Switchbox on the backrest.	288.00 	E0956 E0956 E1028 E0956 E1028
Part Number    1106104-99-0    1106103-99-0    110550   1104575-99-0    1104574-99-0    110551	Description  UT Hip Suppt (B) w/ Mesh Cover - High (Pair)  4.5"W x 3.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550  UT Hip Suppt (A) w/ Mesh Cover - High (Pair)  6"W x 5.5"T Pad w/ 4" Tall Mounting Bracket. Must also select PN I10550.  Adj Removable - Thigh Support Hardware (Pair)  UT Trunk Suppt (B) for MX Back - 3.5"T x 4.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  UT Trunk Suppt (F) for MX Back - 3.5"T x 8.5"D  Must also select the Swing Away Trunk Support Hardware (I10551).  Adj Removable - Trunk Support Hardware (Pair)  Push Handles - K450  Mounted off the chassis. Height and angle adjustable. Must be selected if o	288.00 288.00 551.00 345.00 345.00 554.00 448.00	E0956 E0956 E1028 E0956 E1028

Accessories				
OPTIONAL ITEMS:				
Part Number	Description		Price	<b>HCPCS Code</b>
☐ I106806-99-0	RAM X-Grip Phone Holder		85.00	
☐ I107100-99-0	RAM X-Grip 10" Tablet Holder w/S	<u> </u>	427.00	
		elets with or without a protective case. Includ		
☐ I107222-99-0	USB Charger	Customization may be required if ordered wi	212.00	
	•	e most smartphones and tablets. The charg		
	isolated circuit design for improved s	afety; and by pulling power from the ICS, p	revents battery	′
		off. Includes mounting hardware and ICS co keeping in mind that charger may need to b		
		nt on right armrest:	e relocated.	
☐ I105805-99-0	Medical Necessities Bag Hooks		101.00	K0108
		5° or less (depending on backrest height) w		
☐ I100598-99-0	Chest Harness, Position Belt w/Bra	istom required if ordered with a ROHO AGI acket	LITY backrest. 456.00	E0960
	Chest harness kit includes a standar		400.00	20000
☐ ISH212	BP Shoulder Harness Medium, Fro	-	251.00	E0960
		he wheelchair. It will not be installed.		
	Small Angle Adjustable Tray		310.00	E0950
	Must also select PN I10556.			
☐ I106863-99-0	Angle Adjustable UniTrack Tray		376.00	E0950
		ne UniTrack Accessory Rail. Dimensions are		
	13 D. Carronly be ordered with chair 110556.	rs that offer the UniTrack System. Must also	Select PN	
☐ I10556	Adj Removable - Tray Hardware (1	Each)	280.00	
Alternative Drive	Systems			
	ORTIONAL JOYSTICK SYSTEM	NS.		
/ LILIUVIII VL I I VOI	entition in the delight of the them	71O.		
Part Number	Description		Price	<b>HCPCS Code</b>
Part Number ☐ 110751	<b>Description</b> Mini-Joystick for Omni - (9-pin cont	nector)	<b>Price</b> 3,314.00	HCPCS Code E2312
	-	,		
	Mini-Joystick for Omni - (9-pin cont Operating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin	utral to Full Deflection = 0.2" (5mm) a connector)	3,314.00 1,621.00	
☐ I10751	Mini-Joystick for Omni - (9-pin cont Operating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New	utral to Full Deflection = 0.2" (5mm) a connector) eutral to Full Deflection = 1.1" (28mm) Joyst	3,314.00 1,621.00 tick includes	E2312 E2373
☐ I10751	Mini-Joystick for Omni - (9-pin cont Operating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New	utral to Full Deflection = 0.2" (5mm) a connector)	3,314.00 1,621.00 tick includes	E2312 E2373
☐ I10751	Mini-Joystick for Omni - (9-pin cont Operating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and O	utral to Full Deflection = 0.2" (5mm)  n connector)  eutral to Full Deflection = 1.1" (28mm) Joyst  n/Off. Includes Standard Joystick Knob and	3,314.00 1,621.00 tick includes	E2312 E2373
☐ I10751 ☐ I103893-99-0	Mini-Joystick for Omni - (9-pin condoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Officam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New Compact Joystick LITE for Omni - Operating Force = 1.8 oz (	utral to Full Deflection = 0.2" (5mm)  n connector)  eutral to Full Deflection = 1.1" (28mm) Joyst  n/Off. Includes Standard Joystick Knob and  (9-pin connector)  utral to Full Deflection = 0.7" (17mm) Joystic	3,314.00 1,621.00 tick includes I 1.75" (42mm) 1,834.00 ck includes two	E2312 E2373 E2373
☐ I10751 ☐ I103893-99-0	Mini-Joystick for Omni - (9-pin condoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Own Foam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector)	3,314.00 1,621.00 tick includes I 1.75" (42mm) 1,834.00 ck includes two	E2312 E2373 E2373
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0	Mini-Joystick for Omni - (9-pin condoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.	utral to Full Deflection = 0.2" (5mm) a connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7	3,314.00 1,621.00 tick includes I 1.75" (42mm) 1,834.00 ck includes two	E2312 E2373 E2373
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0	Mini-Joystick for Omni - (9-pin condoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Own Foam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off	utral to Full Deflection = 0.2" (5mm) a connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7	3,314.00 1,621.00 tick includes I 1.75" (42mm) 1,834.00 ck includes two	E2312 E2373 E2373
☐  110751 ☐  1103893-99-0 ☐  1103894-99-0	Mini-Joystick for Omni - (9-pin condoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Or Foam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDI	utral to Full Deflection = 0.2" (5mm) a connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7	3,314.00 1,621.00 tick includes 1 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)	E2312 E2373 E2373
☐  110751 ☐  1103893-99-0 ☐  1103894-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDS Description  NOTE:  Please see the PERMOfix Mounting	utral to Full Deflection = 0.2" (5mm) a connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7	3,314.00 1,621.00 tick includes 11.75" (42mm) 1,834.00 ck includes two 5" (42mm)	E2312 E2373 E2373
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDI Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.	utral to Full Deflection = 0.2" (5mm) in connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7 WARE: Solutions, within the Alt Drive Accessories	3,314.00  1,621.00 tick includes 11.75" (42mm)  1,834.00 ck includes two 5" (42mm)  Price  section, for	E2312 E2373 E2373 HCPCS Code
☐  110751 ☐  1103893-99-0 ☐  1103894-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New 1/8" mono jacks for Mode and Oxfoam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Offoam Ball Knob.  JOYSTICK MOUNTING HARDI Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7 WARE: Solutions, within the Alt Drive Accessories	3,314.00 1,621.00 tick includes 11.75" (42mm) 1,834.00 ck includes two 5" (42mm)	E2312 E2373 E2373
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Or Foam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDI Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:	utral to Full Deflection = 0.2" (5mm) In connector) Putral to Full Deflection = 1.1" (28mm) Joyst In/Off. Includes Standard Joystick Knob and (9-pin connector) Putral to Full Deflection = 0.7" (17mm) Joystic Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories  In mount in front of Right Arm:	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00	E2312 E2373 E2373 HCPCS Code
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Or Foam Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Of Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:	utral to Full Deflection = 0.2" (5mm) In connector) Putral to Full Deflection = 1.1" (28mm) Joyst In/Off. Includes Standard Joystick Knob and (9-pin connector) Putral to Full Deflection = 0.7" (17mm) Joystic Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories  In mount in front of Right Arm:	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00	E2312 E2373 E2373 HCPCS Code
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories nrest Mount in front of Right Arm: Mount Kit - Armrest	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes	E2312 E2373 E2373 HCPCS Code
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owne Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with rod and one 4" rod.	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories nrest Mount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. h a longer mounting rod, two PERMOfix mo	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes	E2312 E2373 E2373 HCPCS Code
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories nrest Mount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. h a longer mounting rod, two PERMOfix mo	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes	E2312 E2373 E2373 HCPCS Code
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐ I107135-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with rod and one 4" rod.  Mount in front of Left Arm:	utral to Full Deflection = 0.2" (5mm) n connector) eutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) utral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories nrest Mount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. h a longer mounting rod, two PERMOfix mo	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes edules, one 3"	E2312 E2373 E2373 HCPCS Code E1028 E1028
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐ I107135-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDI Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with rod and one 4" rod.  Mount in front of Left Arm:  Alt JS Adjustable Mount Kit - Midlin Mount on Left Arm:  Alt JS Adjustable Mount Kit - Chin	atral to Full Deflection = 0.2" (5mm) a connector) cutral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) atral to Full Deflection = 0.7" (17mm) Joystic f. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories arest Mount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. In a longer mounting rod, two PERMOfix model Mount in front of Right Arm: Mount in front of Right Arm: Mount in front of Right Arm: Mount on Right Arm: Boom	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes dules, one 3" 833.00 885.00	E2312 E2373 E2373 HCPCS Code E1028 E1028 E1028
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐ I107135-99-0 ☐ I104695-99-0 ☐ I104695-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with rod and one 4" rod.  Mount in front of Left Arm:  Alt JS Adjustable Mount Kit - Midlin Mount on Left Arm:  Alt JS Adjustable Mount Kit - Chin Swing-Away / Removable Chin Boom	atral to Full Deflection = 0.2" (5mm) a connector) butral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) butral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories  Mount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. In a longer mounting rod, two PERMOfix model Mount in front of Right Arm:  Mount in front of Right Arm: Mount in front of Right Arm:  Mount on Right Arm:  Boom In mounted on right of backrest shell. Custo	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes dules, one 3" 833.00 885.00	E2312 E2373 E2373 HCPCS Code E1028 E1028 E1028
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐ I107135-99-0 ☐ I104695-99-0 ☐ I104143-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Mount in front of Left Arm:  Swing Away Omni/Tablet Mount, with rod and one 4" rod.  Mount in front of Left Arm:  Alt JS Adjustable Mount Kit - Midlin Mount on Left Arm:  Mount on Left Arm:  Alt JS Adjustable Mount Kit - Chin Swing-Away / Removable Chin Boombe applied if ordering lower backrest	atral to Full Deflection = 0.2" (5mm) a connector) butral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) atral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories  Amount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. In a longer mounting rod, two PERMOfix modulation Mount in front of Right Arm:  Mount on Right Arm:  Mount on Right Arm:  Boom In mounted on right of backrest shell. Custo heights.	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes dules, one 3" 833.00 885.00 om charge may	E2312 E2373 E2373 HCPCS Code E1028 E1028 E1028
☐ I10751 ☐ I103893-99-0 ☐ I103894-99-0  ALT PROPORTIONAL Part Number ☐ I104690-99-0 ☐ I107135-99-0 ☐ I104695-99-0 ☐ I104695-99-0	Mini-Joystick for Omni - (9-pin contoperating Force = 0.5 oz (13 g) New Compact Joystick for Omni - (9-pin Operating Force = 7.8 oz (220 g) New two 1/8" mono jacks for Mode and Owner Ball Knob.  Compact Joystick LITE for Omni - Operating Force = 1.8 oz (50 g) New 1/8" mono jacks for Mode and On/Off Foam Ball Knob.  JOYSTICK MOUNTING HARDING Description  NOTE:  Please see the PERMOfix Mounting additional mounting options.  Alt JS Swing Away Mount Kit - Arm Mount in front of Left Arm:  Alt JS / Omni Combo Swing Away Used to mount Omni and Alternative Swing Away Omni/Tablet Mount, with rod and one 4" rod.  Mount in front of Left Arm:  Alt JS Adjustable Mount Kit - Midlin Mount on Left Arm:  Alt JS Adjustable Mount Kit - Chin Swing-Away / Removable Chin Boom	atral to Full Deflection = 0.2" (5mm) a connector) butral to Full Deflection = 1.1" (28mm) Joyst n/Off. Includes Standard Joystick Knob and (9-pin connector) atral to Full Deflection = 0.7" (17mm) Joystic ff. Includes Standard Joystick Knob and 1.7  WARE:  Solutions, within the Alt Drive Accessories  Amount in front of Right Arm: Mount Kit - Armrest Proportional Joystick to the same armrest. In a longer mounting rod, two PERMOfix modulation Mount in front of Right Arm:  Mount on Right Arm:  Mount on Right Arm:  Boom In mounted on right of backrest shell. Custo heights.	3,314.00 1,621.00 tick includes 1.75" (42mm) 1,834.00 ck includes two 5" (42mm)  Price section, for 284.00 537.00 Includes dules, one 3" 833.00 885.00	E2312 E2373 E2373 HCPCS Code E1028 E1028 E1028

Alternative Drive	Systems		
ALT PROPORTIONAL	JOYSTICK MOUNTING HARDWARE:		
Part Number	Description	Price	HCPCS Code
☐ I10753	Haims Harness for Chin Control Mount, Small	629.00	E1028
	For neck width up to 5½".		
	JOYSTICK ACCESSORIES:	Drice	HCPCS Code
Part Number ☐ 1104904-99-0	Description  Dual Switches for Compact Joystick - Fixed Mount	<b>Price</b> 263.00	HCPCS Code
	Includes two pushbutton switches mounted on rigid arms. Switches can be u On/Off. Switch operation force = 4.5oz (130 g)  Mount at front of Joystick: Mount at rear of Joystick: Mount at left of Joystick:	sed for Mode &	
☐ I104641-99-0	Dual Switches for Compact Joystick -Gooseneck Mount	474.00	
	Includes two pushbutton switches mounted on adjustable gooseneck arms. Spositioned on Left and Right sides of Compact Joystick. Switches can be use On/Off. Switch operation force = 4.5oz (130 g)		
SIP & PUFF SYSTEMS		Duine	110D00 01-
Part Number ☐ I10573	Description Sip & Puff System for Omni	<b>Price</b> 1,773.00	HCPCS Code E2325,E2326
☐ 110373	Requires Omni Control Module. Includes breath tube kit.	1,773.00	E2323,E2320
☐ I10574	Sip & Puff System with Fiber Optic Opti-Stop	2,360.00	E2325,E2326
	Requires Omni Control Module. Includes breath tube kit.	,	, ,
	Sip & Puff Kit for Total Control Head Array	914.00	E2325
	For use with Total Control Head Array. Requires Omni Control Module. Includ	des breath tube	
☐ I10762	kit. Adjustable Mounting Hrdw - Sip & Puff	284.00	
□ 110102	Required when selecting PN I10573, I10574 or I106807-99-0.	20 1.00	
PROPORTIONAL FOO			
Part Number	Description	Price	<b>HCPCS Code</b>
	Proportional Foot Control	3,379.00	
—	Mount on Left: Mount on Right:		
☐ I10766	Adjustable Mounting Hrdw - Foot Control	284.00	
Total Control Hea	Required when selecting PN I10767.		
CONFIGURE HEAD A	•		
Part Number	Description	Price	HCPCS Code
I106805-99-0	Permobil Head Array - 3-Switch System	4,893.00	E2330
_	Features an occipital pad sensor and two stainless steel arms configured with sensors. The arms are mounted to the upper attachment points on the head arms are also included to extend the sensor adjustment range. ESP recomme	array. Longer	
☐ I11072	Omni Control Module (ID51154IR) separately. Program Head Array as a 5-Switch System	No Charge	
L 111072	Select additional arms/sensors below and indicate the intended use of each s	_	
	Notes & Comments section. Choose Omni Control Module (ID51154IR) sepa		
	CHOOSE OCCIPITAL PAD SIZE (REQUIRED):		
1105920-99-0	·	No Charge	
☐ I105921-99-0		No Charge	
<b>—</b>	CHOOSE OCCIPITAL MOUNT (REQUIRED):		
110847	· · · · · · · · · · · · · · · · · · ·	No Charge	1/0400
☐ I105936-99-0	Adj. Swivel Mount for Head Array Occipital Pad Enables Occipital Pad to be angled up/down and left/right independent of the	439.00 lateral arms.	K0108
	CHOOSE HEAD ARRAY MOUNT HARDWARE (REQUIRED):		

Total Control Hea	nd Array		
CONFIGURE HEAD A	RRAY:		
Part Number	Description Control of the Control o	Price	HCPCS Code
☐ I105927-99-0	Stealth TWB480 Backrest Mounting Hdwr with Links  Please select the length of the vertical stem below:	293.00	E1028
	Standard length (10"): Short length (6"):		
☐ I105941-99-0	Stealth TWB480 Backrest Mnt Hdwr with Flipback	473.00	E1028
1105925-99-0	Stealth HMO475 MultiAxis Backrest Mounting Hdwr	260.00	E1028
	Stealth TWB480 Backrest Mnt Hdwr w SubOcptl Mount	508.00	E1028
	Stealth 600 SubOccipital Pad - 8.5" W x 2.75" H	104.00	K0108
	Must select when PN I106319-99-0 is ordered.		
	SELECT ADDITIONAL LEFT ARM PACKAGE (OPTIONAL):		
☐ I10976	Add Left Lateral Arm w Proximity Sensor	630.00	
	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):		
☐ I10977	Short (5.5" - 10"): Long (5.5" - 14"): Add Left Lateral Arm w Egg Switch	515.00	
	Choose Lateral Arm Adjustment Range:		
	Short (5.5" - 10"): Long (5.5" - 14"):		
	Add Left Lateral Arm w Pad (No Sensor or Switch)	420.00	
	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):		
	SELECT ADDITIONAL RIGHT ARM PACKAGE (OPTIONAL):		
☐ I10979	Add Right Lateral Arm w Proximity Sensor	630.00	
	Choose Lateral Arm Adjustment Range:		
—	Short (5.5" - 10"): Long (5.5" - 14"):		
☐ I10980	Add Right Lateral Arm w Egg Switch	515.00	
	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):		
☐ I10981	Add Right Lateral Arm w Pad (No Sensor or Switch)	420.00	
_	Choose Lateral Arm Adjustment Range: Short (5.5" - 10"): Long (5.5" - 14"):		
Alt Drive Systems			
CHOOSE OMNI (REQ	•		
Part Number	Description	Price	HCPCS Code
☐ ID51154IR	Omni Control Module for R-net w/ Infrared	1,843.00	
	Must also select mounting hardware, either I103476-99-0 or I107135-99-0 which type of alternative drive input you will be using if not ordering it from	0. Please specify	
☐ I103476-99-0	Input Device: Adjustable Swing-Away Hardware - Omni/Tablet	284.00	
	Mount in front of Left Arm: Mount in front of Right Arm:	201.00	
CHOOSE MOUNTING	POSITION OF SEAT CONTROL SWITCHBOX:		
Part Number	Description	Price	HCPCS Code
☐ I10080	Mount Seat Control Switchbox on Backrest	No Charge	
Alt Drive Accesso	ories		
PERMOFIX MOUNTIN			
Part Number	Description  DEDMOfive Unitroply Fixed Mayort Kit	Price	HCPCS Code
☐ I106655-99-0	PERMOfix UniTrack Fixed Mount Kit	286.00	
☐ I106656-99-0	Includes two base joints, two 4" rods and one 8" rod. PERMOfix UniTrack Removable Mount Kit	502.00	
	Includes quick release mount and thigh support hardware, two base joints		
_	length rods.		
☐ I106657-99-0	PERMOfix UniTrack Swing Away Mount Kit	719.00	
	Includes PERMOfix Swing Away module, two base joints, one 2" rod and	one 4" rod.	

### **Alt Drive Accessories**

PERMOFIX MOUNTI	ING SOLUTIONS:		
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I105907-99-0	Proximity Sensor + Swivel Assembly	363.00	E1028
	Only available with the Total Control Head Array. Swivel assembly allows sens mounted with PERMOfix or directly to lateral arm of Total Control Head Array. Sensors require power, they CANNOT be used as On/Off switches.		у
☐ I105919-99-0	Egg Switch + Swivel Mount Assembly	245.00	
_	Swivel assembly allows switch to be mounted with PERMOfix or directly to late Control Head Array.	eral arm of Tota	nl
☐ I105912-99-0	Solid Oval Pad + Swivel Assembly	148.00	
_	Swivel assembly allows pad to be mounted with PERMOfix or directly to latera Control Head Array.	l arm of Total	
☐ I106675-99-0	Oval Plate + Swivel Assembly - No Switch	130.00	
	Blank plate provides mounting option for Micro Lite, Buddy Button or other swin Swivel assembly allows pad to be mounted with PERMOfix or directly to latera Control Head Array.		
OPTIONAL ITEMS:			
Part Number	Description	Price	<b>HCPCS Code</b>
☐ I101769-99-0	Micro Lite Switch Qty:	198.00	
☐ I101767-99-0	Buddy Button Qty:	167.00	
☐ I106293-99-0	Egg Switch Black Qty:	167.00	
☐ I101771-99-0	Mini Cup Switch Qty:	167.00	
	Proximity Switch Qty:	662.00	
	Mini Joyswitch 5 Switch OC for Omni - (9-pin)	718.00	
	Touch Contact with CR2032 Battery Qty:	408.00	
	Dome Switch, Backrest Mnt w Gooseneck Qty:	524.00	
	Mount on Left: Mount on Right: Mounts at top of backrest shell. Custom charge may be applied if ordering with heights Kit Includes: One PERMOfix joint with Flat Plate, two PERMOfix joints adjustment, one 6" rod, one 8" rod and one 9" gooseneck switch with 50" cable clamp.	with 45° swive	1
☐ I10846	Dome Switch, Backrest Swg Awy Mnt w Gsneck Qty:	775.00	K0108
	Mount on Left: Mount on Right: w 90° Swing-Away Function. Mounts at top of back. Custom charge applies if a short back. Kit Includes: One PERMOfix joint with Flat Plate, one PERMOfix jo swivel adjustment, two 6" rods, one 90° Swing-Away joint, one 9" gooseneck s cable and mounting clamp.	oint with 45°	
☐ I105935-99-0	3.5mm Ext. Cable for Sensor/Switch, 0.3m Long	33.00	
☐ I105931-99-0	3.5mm Ext. Cable for Sensor/Switch, 1m Long	36.00	
☐ I105932-99-0	3.5mm Ext. Cable for Sensor/Switch, 2m Long	42.00	
☐ I105933-99-0	3.5mm Ext. Cable for Sensor/Switch, 3m Long	46.00	
☐ I105934-99-0	3.5mm Y-splitter Cable for Sensor/Switch	36.00	
	Allows two Proximity Sensors/Mechanical Switches to connect to the same directions	ection jack.	

Additional Order Instructions (for Permobil):
Notes & Comments (not for Permobil):
Chair Order Policy:
You are highly encouraged to contact Permobil Sales with ANY questions regarding proper completion of our order forms at 1-800-736-0925. The order cannot be processed without the following:  -A client name or code, the client's measurements, the client's weight  -The order form must also be signed by a person authorized by your company to acknowledge the items selected. Permobil, Inc. is not responsible for configuration or size discrepancies resulting from customer errors on the order form.  -Order confirmations will be provided by Permobil summarizing the items selected. Please review this carefully.  -Once the order is shipped, any changes are subject to the returns policy and may be prohibited.
Order Acknowledgement:
I,, am an agent of the medical equipment provider named on this order form and I have the authority to contract for the purchase of powered wheelchairs and related parts on behalf of said provider. I acknowledge that I have reviewed this order and that it is complete and accurate to the best of my knowledge. I further acknowledge that any changes to this order after submission of this order form are subject to the returns polic and may carry additional charges.  Signed:
Printed Name:
Title:

NOTE: All specifications and prices are subject to change without notice. Please note that prices displayed are only valid if ordered with the wheelchair. Any parts ordered for service or future alterations will carry different pricing and warranty. The HCPCS codes provided are not intended to be billing or legal advice, rather our interpretation of the code definitions. Use of the codes does not ensure coverage or payment for the item. For coverage information, verify the policy of the appropriate payer.

Date: